



Source

Biotinylated Anti-DXD Antibody, Mouse IgG1, Avitag is a Mouse monoclonal antibody recombinantly expressed from HEK293 cells.

Species

Mouse

Isotype

Mouse IgG1 & C-Avi | Mouse Kappa

Conjugate

Biotin

Antibody Type

Recombinant Monoclonal

Reactivity

Chemical

Immunogen

DXD.

Specificity

Specifically recognizes the target-DXD.

Application

Application	Recommended Usage
ELISA	1-5000 ng/mL

Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

Purification

Protein A purified/ Protein G purified

Formulation

Lyophilized from 0.22 µm filtered solution in PBS, pH7.4 with trehalose as protectant.

Contact us for customized product form or formulation.

Reconstitution

Please see Certificate of Analysis for specific instructions.

For best performance, we strongly recommend you to follow the reconstitution protocol provided in the CoA.

Storage


For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:


- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

SDS-PAGE



Biotinylated Anti-DXD Antibody, Mouse IgG1, Avitag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity

SEC-MALS



The purity of Biotinylated Anti-DXD Antibody, Mouse IgG1, Avitag (Cat. No. DXD-BVM807) is more than 90% and the molecular weight of this protein is around 135-165 kDa verified by SEC-MALS.

Discounts, Gifts, and more!







of the protein is greater than 90% (With [Star Ribbon Pre-stained Protein Marker](#)).

[Report](#)

Bioactivity-ELISA



Immobilized Human Her2, His Tag (Cat. No. HE2-H5225) at 1 µg/mL, add Trastuzumab Deruxtecan in the 100% Human Serum and then add Biotinylated Anti-DXD Antibody, Mouse IgG1, Avitag (Cat. No. DXD-BVM807) at 0.05 µg/mL. Detection was performed using HRP-conjugated Streptavidin (Acro, Cat. No. STN-NH913) (QC tested).

Immobilized Trastuzumab Deruxtecan at 1 µg/mL (100 µL/well) can bind Biotinylated Anti-DXD Antibody, Mouse IgG1, Avitag (Cat. No. DXD-BVM807) with a linear range of 0.5-8 ng/mL (Routinely tested).

Background

Dxd (Exatecan ADC derivative) is a potent DNA topoisomerase I inhibitor with an IC₅₀ of 0.31 µM for targeting ADCs (DS-8201A). Dxd was cytotoxic to human tumor cell lines KPL-4, NCI-N87 and SK-BR, 3 and the IC₅₀s of MDA-MB-468 was 1.43-4.07 nM, while IgGADC (Dxd as payload) had no inhibitory effect on HER2 expression in the 4 cell lines. DS8201a (Dxd as payload) had a significant inhibitory effect on HER2-positive KPL-4 and NCI cell lines N87 and SK-BR with IC₅₀ values of 26.8, 25.4 and 6.7 ng/mL, respectively, but had no inhibitory effect on MDA MB-468 (IC₅₀, > 10000 - nM). HRP-anti-DXD-antibody is a conjugation product of HRP and anti-DXD-antibody. It can be used in PK, PD analysis and ELISA.

Clinical and Translational Updates

Discounts, Gifts,
and more!

